

Product name: RUSTBUSTER ECO-CLEANER

Creation date: 23.1.2017 · Revision: 15.3.2019 · Version: 4

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

#### Product name

Rustbuster Eco-Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Cleaner

# Uses advised against

No information.

1.3. Details of the supplier of the safety data sheet

#### Supplier

Rustbuster Ltd Unit 2 Welland House, Cradge Bank Spalding Lincolnshire PE11 3AN UK

1.4. Emergency telephone number

#### **Emergency**

999

# Supplier

01775 761222 out of hours 07860 245312

#### SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Eye Irrit. 2; H319 Causes serious eye irritation.

- 2.2 Label elements
  - 2.2.1. Labelling according to Regulation (EC) No 1272/2008 [CLP]



#### Signal word: Warning

H319 Causes serious eye irritation.

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/eye protection/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with national regulation.

Print date: 19.3.2019 Page 1 of 14

Product name: RUSTBUSTER ECO-CLEANER

Creation date: 23.1.2017 · Revision: 15.3.2019 · Version: 4

# 2.2.2. Contains:

-

#### 2.2.3. Special provisions

Special hazards are not known or expected.

#### 2.3. Other hazards

No information.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

For mixtures see 3.2.

#### 3.2. Mixtures

Name	CAS EC Index	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	REACH Registration No.
Citric acid	77-92-9 201-069-1 -	25-30	Eye Irrit. 2; H319	-
(2- methoxymethylethoxy)propanol	34590-94-8 252-104-2 -	5-10	not classified	-
phosphoric acid [B]	7664-38-2 231-633-2 015-011-00-6	2,5-5	Skin Corr. 1B; H314	-
xylene, mixture of isomers <sup>[C]</sup>	1330-20-7 215-535-7 601-022-00-9	0,1-1	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Acute Tox. 4; H332 STOT SE 3; H335 STOT RE 2; H373	-
ethylbenzene	100-41-4 202-849-4 601-023-00-4	0,01-0,1	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Acute Tox. 4; H332 STOT RE 2; H373	-

#### Notes for substances:

B Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations.

In Part 3 entries with Note B have a general designation of the following type: "nitric acid ... %".

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

C Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers.

In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Print date: 19.3.2019 Page 2 of 14

Product name: RUSTBUSTER ECO-CLEANER

Creation date: 23.1.2017 · Revision: 15.3.2019 · Version: 4

#### SECTION 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

#### General notes

When in doubt or if you feel unwell seek medical assistance. Show the Safety data sheet and label to the physician.

#### Following inhalation

Remove patient to fresh air - move out of dangerous area. If symptoms develop and persist, seek medical attention.

#### Following skin contact

Take off all contaminated clothing. Wash affected skin areas thoroughly with plenty of water and soap. If symptoms develop and persist, seek medical attention.

### Following eye contact

Immediately flush eyes with running water, keeping eyelids apart. If irritation does not stop, seek professional medical treatment!

#### Following ingestion

Do not induce vomiting! Rinse mouth thoroughly with water. Consult a physician. Show the physician the Safety Data Sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

#### **Inhalation**

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation.

Vapours may cause drowsiness and dizziness.

## Skin contact

Contact with skin may cause irritation (redness, itching).

### Eye contact

Redness, tearing, pain.

# <u>Ingestion</u>

Irritates mucous membranes in the mouth, throat, esophagus and in gastrointestinal area.

May cause nausea/vomiting and diarrhea.

May cause abdominal discomfort.

4.3. Indication of any immediate medical attention and special treatment needed

### SECTION 5. FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam.

# Unsuitable extinguishing media

5.2. Special hazards arising from the substance or mixture

# Hazardous combustion products

In case of a fire toxic gases can be generated; do not inhale gases/smoke.

# 5.3. Advice for firefighters

#### Protective actions

In case of fire or heating do not breathe fumes/vapours. Cool containers at risk with water spray. If possible remove containers from endangered area.

Print date: 19.3.2019 Page 3 of 14

Product name: RUSTBUSTER ECO-CLEANER Creation date: 23.1.2017 · Revision: 15.3.2019 · Version: 4

# Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective clothing for fire-fighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

# SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

#### Protective equipment

Use personal protective equipment (Section 8).

#### **Emergency procedures**

Ensure adequate ventilation. Prevent access to unprotected personnel. Do not breathe vapour or mist. Avoid contact with skin and eyes. Prevent access to unauthorised personnel.

### 6.1.2. For emergency responders

Use personal protective equipment.

#### 6.2. Environmental precautions

Do not allow product to reach water/drains/sewage systems or permeable soil. If accidental entry into water or ground occurs, inform responsible authorities.

#### 6.3. Methods and material for containment and cleaning up

#### 6.3.1. For containment

Stem the spill if this does not pose risks.

#### 6.3.2. For cleaning up

Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor. Dispose in accordance with applicable regulations (see section 13).

#### 6.3.3. Other information

#### 6.4. Reference to other sections

See also sections 8 and 13.

# SECTION 7. HANDLING AND STORAGE

# 7.1. Precautions for safe handling

# 7.1.1. Protective measures

#### Measures to prevent fire

Ensure adequate ventilation.

# Measures to prevent aerosol and dust generation

Use general or local exhaust ventilation to prevent inhaling vapours and aerosols.

#### Measures to protect the environment

-

# 7.1.2. Advice on general occupational hygiene

Use good personal hygiene practices-wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Avoid contact with skin and eyes. Do not breathe vapours/mist.

#### 7.2. Conditions for safe storage, including any incompatibilities

# 7.2.1. Technical measures and storage conditions

Store in accordance with local regulations. Keep in tightly closed container. Keep in cool and well ventilated area. Keep away from food, drink and animal feeding stuffs. Keep away from bases.

Print date: 19.3.2019 Page 4 of 14

Product name: RUSTBUSTER ECO-CLEANER

Creation date: 23.1.2017 · Revision: 15.3.2019 · Version: 4

# 7.2.2. Packaging materials

-

#### 7.2.3. Requirements for storage rooms and vessels

Close opened containers after use. Put the container upright to prevent from leaking. Do not store in unlabelled containers.

# 7.2.4. Storage class

# 7.2.5. Further information on storage conditions

-

# 7.3. Specific end use(s)

#### Recommendations

-

# Industrial sector specific solutions

-

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

# 8.1.1. Occupational Exposure limit values

Name (CAS)			Short-term exposure limit		Remarks	Biological Tolerance Values	
	ml/m <sup>3</sup> (ppm)	mg/m <sup>3</sup>	ml/m <sup>3</sup> (ppm)	mg/m <sup>3</sup>			
2,6-Dimethylheptan-4-one (108-83-8)	25	148	-	-			
Ethylbenzene (100-41-4)	100	441	125	552	Sk		
(2-methoxymethylethoxy) propanol (34590-94-8)	50	308	-	-	Sk		
Orthophosphoric acid (7664-38-2)	-	1	-	2			
Xylene, o-,m-,p- or mixed isomers (1330-20-7)	50	220	100	441	Sk, BMGV	650 mmol methyl hippuric acid/mol creatinine in urine - Post shift	

# 8.1.2. Information on monitoring procedures

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 482:2012+A1:2015 Workplace exposure. General requirements for the performance of procedures for the measurement of chemical agents.

# 8.1.3. DNEL/DMEL values

#### For components

Name	Туре	Exposure route	exp. frequency	Value	Remark
(2-methoxymethylethoxy)propanol (34590-94-8)	Worker	dermal	long term (systemic effects)	65 mg/kg bw/day	
(2-methoxymethylethoxy)propanol (34590-94-8)	Worker	inhalation	long term (systemic effects)	310 mg/m <sup>3</sup>	
(2-methoxymethylethoxy)propanol (34590-94-8)	Consumer	inhalation	long term (systemic effects)	3,2 mg/m <sup>3</sup>	
phosphoric acid (7664-38-2)	Worker	inhalation	long term (local effects)	1 mg/m³	
phosphoric acid (7664-38-2)	Worker	inhalation	short term (local effects)	2 mg/m³	
phosphoric acid (7664-38-2)	Consumer	inhalation	long term (local effects)	0,36 mg/m <sup>3</sup>	

Print date: 19.3.2019 Page 5 of 14

Product name: RUSTBUSTER ECO-CLEANER Creation date: 23.1.2017 · Revision: 15.3.2019 · Version: 4

phosphoric acid (7664-38-2)	Worker	inhalation	long term (systemic effects)	10,7 mg/m <sup>3</sup>	
phosphoric acid (7664-38-2)	Consumer	inhalation	long term (systemic effects)	4,57 mg/m <sup>3</sup>	
phosphoric acid (7664-38-2)	Consumer	oral	long term (systemic effects)	0,1 mg/kg bw/day	
xylene, mixture of isomers (1330-20-7)	Consumer	oral	long term (systemic effects)	1,6 mg/kg	
xylene, mixture of isomers (1330-20-7)	Consumer	inhalation	long term (systemic effects)	14,8 mg/m <sup>3</sup>	
xylene, mixture of isomers (1330-20-7)	Consumer	dermal	long term (systemic effects)	108 mg/kg	
xylene, mixture of isomers (1330-20-7)	Worker	inhalation	short term (local effects)	289 mg/m <sup>3</sup>	
xylene, mixture of isomers (1330-20-7)	Worker	inhalation	short term (systemic effects)	77 mg/m³	
xylene, mixture of isomers (1330-20-7)	Worker	inhalation	long term (local effects)	221 mg/m <sup>3</sup>	
xylene, mixture of isomers (1330-20-7)	Worker	inhalation	long term (systemic effects)	77 mg/m³	
xylene, mixture of isomers (1330-20-7)	Worker	dermal	long term (systemic effects)	180 mg/kg/day	
ethylbenzene (100-41-4)	Worker	inhalation	long term (systemic effects)	77 mg/m <sup>3</sup>	
ethylbenzene (100-41-4)	Worker	inhalation	short term (local effects)	293 mg/m <sup>3</sup>	
ethylbenzene (100-41-4)	Consumer	dermal	long term (systemic effects)	180 mg/kg bw/day	
ethylbenzene (100-41-4)	Consumer	inhalation	long term (systemic effects)	15 mg/m <sup>3</sup>	
ethylbenzene (100-41-4)	Consumer	oral	long term (systemic effects)	1,6 mg/kg bw/day	
2,6-dimethylheptan-4-one (108-83-8)	Worker	inhalation	long term (systemic effects)	479 mg/m <sup>3</sup>	
2,6-dimethylheptan-4-one (108-83-8)	Worker	inhalation	short term (systemic effects)	290 mg/m <sup>3</sup>	
2,6-dimethylheptan-4-one (108-83-8)	Worker	dermal	long term (systemic effects)	80 mg/kg bw/day	
2,6-dimethylheptan-4-one (108-83-8)	Consumer	inhalation	long term (systemic effects)	171 mg/m³	
2,6-dimethylheptan-4-one (108-83-8)	Consumer	inhalation	short term (systemic effects)	145 mg/m <sup>3</sup>	
2,6-dimethylheptan-4-one (108-83-8)	Consumer	dermal	long term (systemic effects)	28,5 mg/kg bw/day	
2,6-dimethylheptan-4-one (108-83-8)	Consumer	oral	long term (systemic effects)	7,14 mg/kg bw/day	

Print date: 19.3.2019 Page 6 of 14

Product name: RUSTBUSTER ECO-CLEANER

Creation date: 23.1.2017 · Revision: 15.3.2019 · Version: 4

# 8.1.4. PNEC values

#### For components

Name	Exposure route	Value	Remark
Citric acid (77-92-9)	fresh water	0,44 mg/L	
Citric acid (77-92-9)	marine water	0,044 mg/L	
Citric acid (77-92-9)	water treatment plant	1000 mg/L	
Citric acid (77-92-9)	fresh water sediment	34,6 mg/kg	
Citric acid (77-92-9)	marine water sediment	3,46 mg/kg	
Citric acid (77-92-9)	soil	33,1 mg/kg	
(2-methoxymethylethoxy)propanol (34590-94-8)	soil	2,74 mg/kg	
(2-methoxymethylethoxy)propanol (34590-94-8)	fresh water	19 mg/L	
(2-methoxymethylethoxy)propanol (34590-94-8)	marine water	1,9 mg/L	
(2-methoxymethylethoxy)propanol (34590-94-8)	fresh water sediment	70,2 mg/kg	
(2-methoxymethylethoxy)propanol (34590-94-8)	marine water sediment	7,02 mg/kg	
xylene, mixture of isomers (1330-20-7)	fresh water	0,327 mg/L	
xylene, mixture of isomers (1330-20-7)	marine water	0,327 mg/L	
kylene, mixture of isomers (1330-20-7)	fresh water sediment	12,46 mg/kg	
xylene, mixture of isomers (1330-20-7)	marine water sediment	12,46 mg/kg	
xylene, mixture of isomers (1330-20-7)	soil	2,31 mg/kg	
ethylbenzene (100-41-4)	fresh water	0,1 mg/L	
ethylbenzene (100-41-4)	water, intermittent release	0,1 mg/L	fresh water
ethylbenzene (100-41-4)	marine water	0,01 mg/L	
ethylbenzene (100-41-4)	water treatment plant	9,6 mg/L	
ethylbenzene (100-41-4)	fresh water sediment	13,7 mg/kg	dry weight
ethylbenzene (100-41-4)	marine water sediment	1,37 mg/kg	dry weight
ethylbenzene (100-41-4)	soil	2,68 mg/kg	dry weight
ethylbenzene (100-41-4)	food chain	20 mg/kg feed	oral
2,6-dimethylheptan-4-one (108-83-8)	fresh water	0,03 mg/L	
2,6-dimethylheptan-4-one (108-83-8)	marine water	0,003 mg/L	
2,6-dimethylheptan-4-one (108-83-8)	water, intermittent release	0,3 mg/L	
2,6-dimethylheptan-4-one (108-83-8)	fresh water sediment	0,46 mg/kg dwt	
2,6-dimethylheptan-4-one (108-83-8)	marine water sediment	0,046 mg/kg dwt	
2,6-dimethylheptan-4-one (108-83-8)	water treatment plant	2,55 mg/L	
2,6-dimethylheptan-4-one (108-83-8)	soil	0,075 mg/kg dw	agricultural land

# 8.2. Exposure controls

# 8.2.1. Appropriate engineering control

# Substance/mixture related measures to prevent exposure during identified uses

Handle in accordance with good industrial hygiene and safety practice. Use good personal hygiene practices-wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Avoid contact with eyes and skin. Do not breathe vapours/aerosols.

# Organisational measures to prevent exposure

Remove all contaminated clothes immediately and wash them before reuse.

# Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration.

Print date: 19.3.2019 Page 7 of 14

Product name: RUSTBUSTER ECO-CLEANER
Creation date: 23.1.2017 · Revision: 15.3.2019 · Version: 4

# 8.2.2. Personal protective equipment

#### Eye and face protection

Safety glasses with side protection (EN 166).

#### Hand protection

Protective gloves (EN 374).

#### Skin protection

Cotton protective clothing (EN ISO 13688) and shoes that cover the entire foot (EN ISO 20345).

# **Respiratory protection**

In case of insufficient ventilation wear suitable respiratory protection. Wear suitable protective breathing mask (EN 136) with filter A2-P2 (EN 14387).

#### Thermal hazards

-

# 8.2.3. Environmental exposure controls

-

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

-	Physical state:	liquid; gel
-	Colour:	yellow
-	Odour:	gentle

# Important health, safety and environmental information

-	pH	> 2
-	Melting point/Freezing point	<2 °C
-	Initial boiling point/boiling range	No information.
-	Flash point	No information.
-	Evaporation rate	No information.
-	Flammability (solid, gas)	No information.
-	Explosion limits (vol%)	No information.
-	Vapour pressure	No information.
-	Vapour density	No information.
-	Density	<b>Density</b> : 1,15 g/cm <sup>3</sup> at 20 °C
-	Solubility	Water: Completely soluble
-	Partition coefficient	No information.
-	Auto-ignition temperature	No information.
-	Decomposition temperature	No information.
-	Viscosity	dynamic: ca. 6000 mPas
-	Explosive properties	No information.
-	Oxidising properties	No information.

Print date: 19.3.2019 Page 8 of 14

Product name: RUSTBUSTER ECO-CLEANER

Creation date: 23.1.2017 · Revision: 15.3.2019 · Version: 4

#### 9.2. Other information

-	Weight organic solvents	71 – 74 g/l
-	Solid contents	36 – 40 %
-	Remarks:	

# **SECTION 10. STABILITY AND REACTIVITY**

#### 10.1. Reactivity

Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Product is stable under normal conditions according of handling and storage.

#### 10.3. Possibility of hazardous reactions

No data.

#### 10.4. Conditions to avoid

No special precautions required. Consider the directions for use and storage.

# 10.5. Incompatible materials

Bases.

# 10.6. Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released.

# SECTION 11. TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

# (a) Acute toxicity

Name	Exposure route	Туре	Species	Time	Value	Method	Remark
Citric acid (77-92-9)	oral	LD <sub>50</sub>	mouse		5400 mg/kg	OECD 401	
Citric acid (77-92-9)	oral	LD <sub>50</sub>	mouse		11700 mg/kg	OECD 401	
Citric acid (77-92-9)	oral	LD <sub>50</sub>	mouse		5000 mg/kg		
Citric acid (77-92-9)	oral	LD <sub>50</sub>			3000 mg/kg		
Citric acid (77-92-9)	dermal	LD <sub>50</sub>	rat		> 2000 mg/kg		
Citric acid (77-92-9)	-	LD <sub>50</sub>	rat		725 mg/kg		
Citric acid (77-92-9)	-	LD <sub>50</sub>	mouse		940 mg/kg		
(2-methoxymethylethoxy)propanol (34590-94-8)	oral	LD <sub>50</sub>	rat		> 5000 mg/kg		
(2-methoxymethylethoxy)propanol (34590-94-8)	dermal	LD <sub>50</sub>	rabbit		> 19020 mg/kg		
(2-methoxymethylethoxy)propanol (34590-94-8)	inhalation	LC <sub>50</sub>	rat		> 275 ppm		
phosphoric acid (7664-38-2)	oral	LD <sub>50</sub>	rat		3500 mg/kg		
phosphoric acid (7664-38-2)	dermal	LD <sub>50</sub>	rabbit		2470 mg/kg		

# (b) Skin corrosion/irritation

No information.

# (c) Serious eye damage/irritation

Additional information: Causes serious eye irritation.

Print date: 19.3.2019 Page 9 of 14

Product name: RUSTBUSTER ECO-CLEANER

Creation date: 23.1.2017 · Revision: 15.3.2019 · Version: 4

# (d) Respiratory or skin sensitisation

No information.

# (e) (Germ cell) mutagenicity

No information.

# (f) Carcinogenicity

No information.

# (g) Reproductive toxicity

No information.

# Summary of evaluation of the CMR properties

No information.

# (h) STOT-single exposure

No information.

# (i) STOT-repeated exposure

No information.

#### (i) Aspiration hazard

No information.

# **SECTION 12. ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

# 12.1.1. Acute (short-term) toxicity

# For components

Substance (CAS Nr.)	Туре	Value	Exposure time	Species	Organism	Method	Remark
Citric acid (77-92-9)	LC <sub>50</sub>	440 – 760 mg/L	96 h	fish	Leuciscus idus	OECD 203	
	EC <sub>50</sub>	1535 mg/L	24 h	crustacea	Daphnia magna		
	EC <sub>50</sub>	120 mg/L	72 h	crustacea	Daphnia magna		
	EC <sub>0</sub>	425 mg/L	168 h	algae	Scenedesmus quadricauda	static test	
	EC <sub>0</sub>	> 10000 mg/L	16 h	bacteria	Pseudomonas putida		
(2-methoxymethylethoxy)propanol (34590-94-8)	LC50	> 10000 mg/L	96 h	fish			
phosphoric acid (7664-38-2)	LC50	138 mg/L	96 h	fish	Gambusia affinis		

# 12.1.2. Chronic (long-term) toxicity

# For components

Substance (CAS Nr.)	Туре	Value	Exposure time	Species	Organism	Method	Remark
(2-methoxymethylethoxy)propanol (34590-94-8)	NOEC	> 0,5 mg/l	21 days	crustacea	Daphnia magna		
phosphoric acid (7664-38-2)	LC <sub>50</sub>	6,2 mg/l	192 h	fish			

# 12.2. Persistence and degradability

# 12.2.1. Abiotic degradation, physical- and photo-chemical elimination

No information.

### 12.2.2. Biodegradation

No information.

Print date: 19.3.2019 Page 10 of 14

Product name: RUSTBUSTER ECO-CLEANER

Creation date: 23.1.2017 · Revision: 15.3.2019 · Version: 4

#### 12.3. Bioaccumulative potential

# 12.3.1. Partition coefficient

No information.

#### 12.3.2. Bioconcentration factor (BCF)

No information.

#### 12.4. Mobility in soil

# 12.4.1. Known or predicted distribution to environmental compartments

No information.

#### 12.4.2. Surface tension

No information.

# 12.4.3. Adsorption/Desorption

No information.

#### 12.5. Results of PBT and vPvB assessment

No evaluation.

#### 12.6. Other adverse effects

No information.

#### 12.7. Additional information

#### For product

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

#### SECTION 13. DISPOSAL CONSIDERATIONS

# 13.1. Waste treatment methods

# 13.1.1. Product / Packaging disposal

#### Waste chemical

Dispose of in accordance with applicable waste disposal regulation. Disposal must be made according to official regulations: deliver it to authorized collector/remover/transformer of hazardous waste.

### Packaging

Dispose of in accordance with applicable waste disposal regulation. Deliver completely emptied containers to approved waste disposal authorities.

# 13.1.2. Waste treatment-relevant information

-

# 13.1.3. Sewage disposal-relevant information

# 13.1.4. Other disposal recommendations

-

# **SECTION 14. TRANSPORT INFORMATION**

# 14.1. UN number

not applicable

# 14.2. UN proper shipping name

ADR, RID, IMDG, ADN, IATA: Not dangerous according to transport regulations.

Print date: 19.3.2019 Page 11 of 14

Product name: RUSTBUSTER ECO-CLEANER
Creation date: 23.1.2017 · Revision: 15.3.2019 · Version: 4

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

NO

14.6. Special precautions for user

not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15. REGULATORY INFORMATION**

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2015/830)
  - Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

# 15.1.1. Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-quideline)

not applicable

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### SECTION 16. OTHER INFORMATION

### Indication of changes

.

# Abbreviations and acronyms

ATE - Acute Toxicity Estimate

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

CEN - European Committee for Standardisation

C&L - Classification and Labelling

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

CAS# - Chemical Abstracts Service number

CMR - Carcinogen, Mutagen, or Reproductive Toxicant

CSA - Chemical Safety Assessment

CSR - Chemical Safety Report

DMEL - Derived Minimal Effect Level

DNEL - Derived No Effect Level

DPD - Dangerous Preparations Directive 1999/45/EC

DSD - Dangerous Substances Directive 67/548/EEC

DU - Downstream User

EC - European Community

ECHA - European Chemicals Agency

EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)

EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)

EEC - European Economic Community

EINECS - European Inventory of Existing Commercial Substances

Print date: 19.3.2019 Page 12 of 14

Product name: RUSTBUSTER ECO-CLEANER

Creation date: 23.1.2017 · Revision: 15.3.2019 · Version: 4

ELINCS - European List of notified Chemical Substances

EN - European Standard

EQS - Environmental Quality Standard

EU - European Union

Euphrac - European Phrase Catalogue

EWC - European Waste Catalogue (replaced by LoW - see below)

GES - Generic Exposure Scenario

GHS - Globally Harmonized System

IATA - International Air Transport Association

ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG - International Maritime Dangerous Goods IMSBC - International Maritime Solid Bulk Cargoes

IT - Information Technology

IUCLID - International Uniform Chemical Information Database

IUPAC - International Union for Pure Applied Chemistry

JRC - Joint Research Centre

Kow - octanol-water partition coefficient

LC50 - Lethal Concentration to 50 % of a test population

LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)

LE - Legal Entity

LoW - List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

LR - Lead Registrant

M/I - Manufacturer / Importer

MS - Member States

MSDS - Material Safety Data Sheet

OC - Operational Conditions

OECD - Organization for Economic Co-operation and Development

OEL - Occupational Exposure Limit

OJ - Official Journal

OR - Only Representative

OSHA - European Agency for Safety and Health at work

PBT - Persistent, Bioaccumulative and Toxic substance

PEC - Predicted Effect Concentration

PNEC(s) - Predicted No Effect Concentration(s)

PPE - Personal Protection Equipment

(Q)SAR - Qualitative Structure Activity Relationship

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

RIP - REACH Implementation Project

RMM - Risk Management Measure

SCBA - Self-Contained Breathing Apparatus

SDS - Safety data sheet

SIEF - Substance Information Exchange Forum

SME - Small and Medium sized Enterprises

STOT - Specific Target Organ Toxicity

(STOT) RE - Repeated Exposure

(STOT) SE - Single Exposure

SVHC - Substances of Very High Concern

UN - United Nations

vPvB - Very Persistent and Very Bioaccumulative

Key literature references and sources for data

-

Print date: 19.3.2019 Page 13 of 14

Product name: RUSTBUSTER ECO-CLEANER

Creation date: 23.1.2017 · Revision: 15.3.2019 · Version: 4

# List of relevant H phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure .

The information of this SDS is based on the present state of our knowledge and meets the requirements of EU and national laws. The user's working conditions however, are beyond our knowledge and control. The product is not to be used for purposes other than those specified under section 1 without a written permission. It remains the responsibility of the user to ensure that the necessary steps are taken to meet the laws and regulations. Handling of the product may only be done by people above 18 years of age, who are satisfactorily informed of how to do the work, the hazardous properties and necessary safety precautions. The information given in this SDS is to describe the product only in terms of health and safety requirements and should not, therefore, be construed as guaranteeing specific properties.

Print date: 19.3.2019 Page 14 of 14