



#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/13/2014 Revision date: 10/4/2023 Supersedes version of: 6/21/2022 Version: 8.1

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product form	: Mixture
Product name	: CHLOR X
REACH registration No.	: Mixture exempt from REACH registration.
Product code	: R11
Product group	: End product

#### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### 1.2.1. Relevant identified uses

Main use category Use of the substance/mixture : Consumer use

: Efflorescence remover

#### 1.2.2. Uses advised against

No additional information available

#### **1.3. Details of the supplier of the safety data sheet**

RUSTBUSTER LTD UNIT 2, WELLAND HOUSE CRADGE BANK, SPALDING SOUTH LINCOLNSHIRE, PE11 3AN 01775 761222 <u>SALES@RUST.co.uk</u>

#### **1.4. Emergency telephone number**

Emergency number

: +44 (0) 1775 761222 Office Hours Only

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318
Full text of H- and EUH-statements: see section 16	

#### Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

#### 2.2. Label elements

Labelling according to Regulation (EC) No.	1272/2008 [CLP]
Hazard pictograms (CLP)	: 🔨
	PO

Signal word (CLP) Contains Hazard statements (CLP) Precautionary statements (CLP)



- : Danger
- : GLYCOLIC ACID
- : H314 Causes severe skin burns and eye damage.
- : P102 Keep out of reach of children.
- P260 Do not breathe vapours, spray, mist.
- P262 Do not get in eyes, on skin, or on clothing.
- P264 Wash hands, forearms and face thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P314 - Get medical advice/attention if you feel unwell.
	P363 - Wash contaminated clothing before reuse.
	P405 - Store locked up.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements :	EUH208 - Contains 2-METHYLISOTHIAZOL-3(2H)-ONE (2682-20-4) ([ATP 13]). May produce an allergic reaction.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

#### SECTION 3: Composition/information on ingredients

### 3.1. Substances

#### Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
GLYCOLIC ACID	CAS-No.: 79-14-1 EC-No.: 201-180-5 REACH-no: 01-2119485579- 17	5 – 10	Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1, H314 Eye Dam. 1, H318
SODIUM XYLENE SULPHONATE	CAS-No.: 1300-72-7 EC-No.: 215-090-9 EC Index-No.: 701-037-1 REACH-no: 2119513350-56- XXXX	0.98 – 1.99	Eye Irrit. 2, H319
1,2-BENZISOTHIAZOLIN-3-ONE	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540- 60	< 0.0015	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2-METHYLISOTHIAZOL-3(2H)-ONE	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	< 0.0015	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
1,2-BENZISOTHIAZOLIN-3-ONE	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540- 60	(0.05 ≤ C ≤ 100) Skin Sens. 1, H317
2-METHYLISOTHIAZOL-3(2H)-ONE	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	(0.0015 ≤ C < 100) Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact	<ul> <li>Call a physician immediately. Get medical advice/attention if you feel unwell.</li> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>If skin irritation occurs: Get medical advice/attention. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Wash contaminated clothing before reuse.</li> </ul>
First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.</li> <li>Rinse mouth. Do not induce vomiting. Drink plenty of water. Call a physician immediately.</li> </ul>
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul> <li>May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> <li>Burns. May cause an allergic skin reaction.</li> <li>Serious damage to eyes. redness, itching, tears. stinging.</li> <li>Burns. May cause irritation to the digestive tract. Abdominal pain, nausea.</li> </ul>
4.3. Indication of any immediate med	ical attention and special treatment needed

Treat symptomatically. Ensure eye bath is to hand.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. Use extinguishing media appropriate for surrounding fire. Cool down the containers exposed to heat with a water spray.	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Corrosive vapours. Toxic fumes may be released.	
5.3. Advice for firefighters		
Precautionary measures fire Protection during firefighting	<ul> <li>Keep container tightly closed and away from heat, sparks and flame.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Avoid contact with skin and eyes. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Notify authorities if product enters sewers or public waters.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	

#### **6.2. Environmental precautions**

Avoid release to the environment. Contain the spilled material by bunding. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up Other information	<ul> <li>Absorb spilled material with sand or earth.</li> <li>Take up liquid spill into absorbent material.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>	
6.4. Reference to other sections		

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.	
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Store locked up. Keep cool. Keep container tightly closed.	
Incompatible materials	: Heat sources.	
Storage area	: Store in a well-ventilated place.	
Special rules on packaging	: Keep only in original container.	

#### 7.3. Specific end use(s)

Efflorescence remover.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses. Ensure they are fitted tightly. Ensure eye bath is to hand

#### 8.2.2.2. Skin protection

**Skin and body protection:** Wear suitable protective clothing

#### Hand protection:

Protective gloves. Impermeable protective gloves. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good hygiene practices.

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties	
9.1. Information on basic physical and c	hemical properties
Physical state Colour Odour Odour threshold pH Relative evaporation rate (butylacetate=1) Melting point Freezing point Boiling point Flash point	<ul> <li>Liquid</li> <li>Off-white.</li> <li>Characteristic odour.</li> <li>No data available</li> <li>4</li> <li>No data available</li> <li>No data available.</li> <li>No data available</li> <li>100 °C</li> <li>&gt; 93 °C</li> </ul>
Auto-ignition temperature	: No data available.

: No data available

: Not applicable

Decomposition temperature

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 1.022
Solubility	: In water, material soluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

None under recommended storage and handling conditions (see section 7). Heat.

10.5. Incompatible materials

Strong oxidising agents. Strong acids.

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

11.1 Information on toxicological effects	
Acute toxicity (dermal)	No data available No data available No data available
LD50 oral rat	2040 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	3.6 mg/l Source: ECHA Registered substances
SODIUM XYLENE SULPHONATE (1300-72-7)	
LD50 oral rat	> 7200 mg/kg
LD50 dermal	> 2000 mg/kg
1,2-BENZISOTHIAZOLIN-3-ONE (2634-33-5)	
LD50 oral rat	1020 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2-METHYLISOTHIAZOL-3(2H)-ONE (2682-20-4)		
LD50 oral rat	66 – 105 mg/kg	
LD50 dermal rabbit	200 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	0.33 mg/l	
Skin corrosion/irritation :	No data available pH: 4	
GLYCOLIC ACID (79-14-1)		
рН	2	
SODIUM XYLENE SULPHONATE (1300-72-7)		
рН	7 – 10	
2-METHYLISOTHIAZOL-3(2H)-ONE (2682-20-4	)	
рН	2.58 Temp.: 25 °C Concentration: 50 g/L	
Serious eye damage/irritation :	No data available pH: 4	
GLYCOLIC ACID (79-14-1)		
рН	2	
SODIUM XYLENE SULPHONATE (1300-72-7)		
рН	7 – 10	
2-METHYLISOTHIAZOL-3(2H)-ONE (2682-20-4	)	
рН	2.58 Temp.: 25 °C Concentration: 50 g/L	
	No data available	
Germ cell mutagenicity :	No data available	
Carcinogenicity : Reproductive toxicity :	No data available Data not validated	
1,2-BENZISOTHIAZOLIN-3-ONE (2634-33-5)		
	50.0 mm/lup had susight Animals and Animal any famale. Outdaling: EDA ODDTO 070 2000	
NOAEL (animal/female, F1)	56.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)	
	No data available	
	No data available	
GLYCOLIC ACID (79-14-1)		
LOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPP 82-1 (90- Day Oral Toxicity), Guideline: other:, Guideline: other:	
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Guideline: EPA OPP 82-1 (90-Day Oral Toxicity), Guideline: other:, Guideline: other:	
2-METHYLISOTHIAZOL-3(2H)-ONE (2682-20-4	)	
LOAEL (oral, rat, 90 days)	71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents), Guideline: other:	
Aspiration hazard :	No data available	
GLYCOLIC ACID (79-14-1)		
Viscosity, kinematic	6149 mm²/s Temp.: 'other:' Parameter: 'kinematic viscosity (in mm²/s)' Remarks on result: 'other:'	
	outor.	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 12: Ecological information** 12.1. Toxicity Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms. No data available. : No data available Hazardous to the aquatic environment, short-term (acute) : No data available Hazardous to the aquatic environment, long-term (chronic) Not rapidly degradable GLYCOLIC ACID (79-14-1) LC50 - Fish [1] 164 mg/l EC50 - Crustacea [1] 141 mg/l Test organisms (species): Daphnia magna EC50 - Other aquatic organisms [1] 141 mg/l SODIUM XYLENE SULPHONATE (1300-72-7) LC50 - Fish [1] > 1000 mg/l EC50 - Other aquatic organisms [1] > 1000 mg/l EC50 96h - Algae [1] 270000 mg/l Source: ECOSAR 1,2-BENZISOTHIAZOLIN-3-ONE (2634-33-5) LC50 - Fish [1] ≈ 16.7 mg/l Test organisms (species): Cyprinodon variegatus LC50 - Fish [2] 2.15 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) EC50 - Crustacea [1] 2.94 mg/l Test organisms (species): Daphnia magna 2.9 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 2-METHYLISOTHIAZOL-3(2H)-ONE (2682-20-4) LC50 - Fish [1] 0.07 - 0.19 mg/l Source: ECOTOX EC50 - Crustacea [1] 0.18 mg/l 12.2. Persistence and degradability **CHLOR X** Persistence and degradability Readily biodegradable. 12.3. Bioaccumulative potential **CHLOR X** Bioaccumulative potential No bioaccumulation potential. GLYCOLIC ACID (79-14-1)

Partition coefficient n-octanol/water (Log Pow)	-1.11 Source: National Institute of Technology and Evaluation
SODIUM XYLENE SULPHONATE (1300-72-7)	
Partition coefficient n-octanol/water (Log Pow)	-3.12 Source: GESTIS
1,2-BENZISOTHIAZOLIN-3-ONE (2634-33-5)	
Partition coefficient n-octanol/water (Log Pow)	0.64

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2-METHYLISOTHIAZOL-3(2H)-ONE (2682-20-4	)
Partition coefficient n-octanol/water (Log Pow)	-0.49
12.4. Mobility in soil	
CHLOR X	
Ecology - soil	Readily absorbed into the soil.
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
Other adverse effects :	Negligible ecotoxicity.
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	

any regional local authority requirements.

Waste treatment methods

 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
 Disposal of this packaging should at all times comply with the waste disposal legislation and

Product/Packaging disposal recommendations

**SECTION 14: Transport information** 

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
UN 3265	UN 3265	UN 3265	UN 3265	UN 3265
14.2. UN proper shippin	g name			
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (GLYCOLIC ACID)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (GLYCOLIC ACID)	Corrosive liquid, acidic, organic, n.o.s. (GLYCOLIC ACID)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (GLYCOLIC ACID)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S (GLYCOLIC ACID)
Transport document descr	iption			
UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (GLYCOLIC ACID), 8, II, (E)	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (GLYCOLIC ACID), 8, II	UN 3265 Corrosive liquid, acidic, organic, n.o.s. (GLYCOLIC ACID), 8, II	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (GLYCOLIC ACID), 8, II	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (GLYCOLIC ACID), 8, II
14.3. Transport hazard o	class(es)			
8	8	8	8	8
B	B	B	8	B
14.4. Packing group	1	1	1	1
	II	II	II	II

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.5. Environmental hazard	ls			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment: No	environment: No	environment: No	environment: No	environment: No
	Marine pollutant: No			
No supplementary information av	vailable			
14.6. Special precautions fo	or user			
Overland transport				
Classification code (ADR)	: C3			
Special provisions (ADR)	: 274	4		
imited quantities (ADR)	: 11			
Excepted quantities (ADR)	: E2			
Packing instructions (ADR)		01, IBC02		
Aixed packing provisions (ADR)	: MF			
Portable tank and bulk container i Portable tank and bulk container s		1 2, TP27		
ADR)		∠, 11 ∠1		
Tank code (ADR)	: L4	RN		
/ehicle for tank carriage	: AT			
ransport category (ADR)	: 2			
lazard identification number (Ker				
Drange plates	:	0.0		
5 1	_	80		
		3265		
Funnel restriction code (ADR)	: E			
EAC code	: 2X			
Fransport by sea				
Special provisions (IMDG)	: 274	4		
imited quantities (IMDG)	: 1L			
Excepted quantities (IMDG)	: E2			
Packing instructions (IMDG)	: P0	01		
BC packing instructions (IMDG)	: IBC	02		
Tank instructions (IMDG)	: T1			
Fank special provisions (IMDG)	: TP	2, TP27		
EmS-No. (Fire)	: F-A			
EmS-No. (Spillage)	: S-E	3		
Stowage category (IMDG)	: B			
Stowage and handling (IMDG)	: SV			
Segregation (IMDG)		G1, SG36, SG49		
Properties and observations (IMD	G) : Ca	uses burns to skin, eyes and r	nucous membranes.	
Air transport				
PCA Excepted quantities (IATA)	: E2			
PCA Limited quantities (IATA)	: Y8	40		
PCA limited quantity max net qua	ntity (IATA) : 0.5	L		
PCA packing instructions (IATA)	: 85	1		
PCA max net quantity (IATA)	: 1L			
CAO packing instructions (IATA)	: 85			
CAO max net quantity (IATA)	: 30			
Special provisions (IATA)		, A803		
RG code (IATA)	: 8L			
nland waterway transport				
Classification code (ADN)	: C3			
Special provisions (ADN)	: 274			
imited quantities (ADN)	: 1L			
0/4/2023 (Revision date)		GB - en		,

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: C3
Special provisions (RID)	: 274
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T11
Portable tank and bulk container special provisions	: TP2, TP27
(RID)	
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

#### Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUF	I-statements:
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EL	IH-statements:
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
EUH208	Contains 2-METHYLISOTHIAZOL-3(2H)-ONE (2682-20-4) ([ATP 13]). May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liaible for any damage resulting from handling or from contact with the above product.